WD 3000 AIR compressed air vacuum cleaner

INDUSTRIAL VACUUM CLEANERS







- Ø 100% steel construction.
- ✓ Large surface filter for fine dust with integrated manual cleaning system.

ŧ.

- Simultaneous vacuuming of dust, liquids and solids.
- Seasy-to-empty detachable container.

Suction unit		
Max waterlift	mmH2O	3.700
Max air flow	m3/h	300 - 150
Suction inlet	mm	50
Air supply	nlt/min (nm³/h)	729 - 1458
Air supply pressure	bar	6
Air supply hose	mm	12
Filtering Unit		
Primary filter		Bag
Surface - Diameter	cm ² -mm	8.000 - 400
Material - Efficiency	IEC 60335-2-69	Polyester L
Cleaning system		Manual
Collection unit		
Capacity	lt	60
Collection system		Tilting container
Encumbrances		
Dimensions	cm	72 x 56 x 94h

APPLICATIONS: Sandblasting

General housekeeping

All data mentioned in this document may change without notice. Tutti i dati in questo documento potrebbero variare senza preavviso. www.dupuyvacuums.com info@dupuy.it

WD 3000 AIR compressed air vacuum cleaner

INDUSTRIAL VACUUM CLEANERS

SUCTION UNIT

Suction is generated by one Venturi air vacuum unit enclosed in a solid steel head containing sound-absorbing material. This minimises noise during operation.

FILTERING UNIT

The polyester bag filter, placed inside the filter chamber, guarantees a large filtering surface area and high resistance to dust passage and clogging.

COLLECTION UNIT

The vacuum cleaner is mounted on a sturdy metal frame and fitted with heavy-duty industrial wheels for easy manoeuvrability also on uneven surfaces.



All data mentioned in this document may change without notice. Tutti i dati in questo documento potrebbero variare senza preavviso. www.dupuyvacuums.com info@dupuy.it